



BabyDos®



For Front Carries



Ensure that your baby is safely and securely enclosed in the baby wrap sling or baby carrier and is supported in an age-appropriate manner.



Place the BabyDos around your baby. The feet are safely enclosed in the inner pouch and then you pull the BabyDos from bottom to top over the child's back.



Adjust the width of the BabyDos hood at the back of the child's neck using the drawstring.



Fasten it at the right and left using the sewn-on buttonhole strap. In doing so, pull the belt strap ...



... from inside to outside under the shoulder strap and fasten it on both sides to the sewn-on button.



Ensure that the hood does not completely cover the child's head and that there is good ventilation. Your baby is now protected from the wind and cold.



The long belt strap can also or alternatively be used to fasten the BabyDos.



Guide the belt strap behind your back to the other side and button it.



You're done!

For Back Carries



To begin, please fasten the separate buttonhole strap to one side of the BabyDos.



Lift the BabyDos over your baby and let it slide down.



The legs are carefully enclosed in the BabyDos in that you place them in the foot pouch folded over at the bottom.



Now guide the long belt strap from one side to the other under the shoulder straps.



Here, too, fasten the belt strap to the button on the BabyDos.



If you optionally would like to use the short buttonhole straps, guide these straps on both sides from the inside ...



... to the outside under the shoulder strap and attach it to the button.



You're done!

For Hip Carries



Place the BabyDos around your baby installed in the wrap. Make sure that the legs are enclosed. Button the long belt strap to the BabyDos.




Now guide it over your shoulder and behind your back diagonally to the other side ...



... under your arm and fasten this to the button on the BabyDos.



The fit of the BabyDos hood can be adjusted using the elastic drawstring.



Tips



If you do not need the hood, it can be rolled up as neck support for the child, in that you ...



... attach the hood to the button on the outside using the loop sewn on the inside.



The long buttonhole strap can be attached to a button beforehand.